

The NOvA Experiment At Fermilab

Mark Messier
Indiana University

34th International Conference on High Energy Physics (ICHEP'08)

Philadelphia, PA

July 30, 2008

Neutrino parallel session

The NOvA Collaboration

<http://www-nova.fnal.gov>





181 scientists and engineers, 26 institutions

Argonne National Laboratory - University of Athens - California Institute of Technology - University of California, Los Angeles - Fermi National Accelerator Laboratory -
College de France - Harvard University - Indiana University - Lebedev Physical Institute - Michigan State University - University of Minnesota, Duluth - University of
Minnesota, Minneapolis Technische Universität München, Munich - State University of New York, Stony Brook Northern Illinois University, DeKalb Ohio State
University, Columbus - Pontifícia Universidade Católica do Rio de Janeiro - University of South Carolina, Columbia - Southern Methodist University - Stanford
University - Texas A&M University - University of Texas, Austin - University of Texas, Dallas - Tufts University - University of Virginia, Charlottesville - The College of
William and Mary


The NOvA Experiment

- NOvA is a second generation experiment on the NuMI beamline which is optimized for the detection of $\nu_\mu \rightarrow \nu_e$ and $\bar{\nu}_\mu \rightarrow \bar{\nu}_e$ oscillations
- NOvA is:
 - An upgrade of the NuMI beam intensity from 400 kW to 700 kW
 - A 15 kt “totally active” tracking liquid scintillator calorimeter sited 14 mrad off the NuMI beam axis at a distance of 810 km
 - A 215 ton near detector identical to the far detector sited 14 mrad off the NuMI beam axis at a distance of 1 km





NOvA Far Detector Location

Ash River, MN
810 km from Fermilab



Medium Energy Tune



Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Are they “normal,” analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called “inverted” hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?


excerpted from US Particle Physics: Scientific Opportunities. A Strategic Plan for the Next Ten Years. Report of the Particle Physics Project Prioritization Panel, May 2008

Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) **What is the value of θ_{13}** , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Are they “normal,” analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called “inverted” hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?

1) What is the value of θ_{13} ?



NOvA searches for electron neutrino appearance down to ~ 0.01 at 90% CL


Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) **Do neutrino oscillations violate CP?** If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Are they “normal,” analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called “inverted” hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?

2) Do neutrino oscillations violate CP?

1 σ Contours for Starred Point




NOvA provides the first look into the CPV parameter space

Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) **What are the relative masses of the three known neutrinos?** Are they “normal,” analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called “inverted” hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?

3) What are the relative masses of the three known neutrinos?







NOvA's long baseline makes it sensitive to the mass ordering

Questions for the future

As the first chapter in the study of neutrino oscillations chapter begins. The great progress in neutrino physics raises new questions and provides opportunities for more compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between ν_e and ν_μ for which, so far, experiments have only upper limits? The size of θ_{13} has critical importance not only because it is a new parameter, but because its value will determine the answers to other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino oscillations be related to matter-antimatter asymmetry among leptons in the early universe? What is the value of the CP violating phase, which is δ ? Is CP violation among neutrinos related to CP violation among quarks?
- 3) What are the relative masses of the three known neutrinos? Is the ordering analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a different hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently provide the only information on neutrino mass ordering has important consequences for interpreting neutrinoless double beta decay experiments and for understanding the origin of neutrino masses in a more fundamental way, restricting possible models.
- 4) **Is θ_{23} maximal (45 degrees)?** if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?

$\nu_\mu (1.4 \text{ GeV}) + N \rightarrow \mu^- (1.0 \text{ GeV}) + X \text{ (QEL)}$



4) Is θ_{23} maximal?


Because of its excellent energy resolution NOvA can make $\sim 1\%$ measurements of muon neutrino disappearance using quasi-elastic channel

Questions for the future

As the first chapter in the study of neutrino oscillations comes to a close, a new chapter begins. The great progress in neutrino physics over the past decade has raised new questions and provides opportunities for major developments and compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established an upper limit? What is the size of θ_{13} has critical importance not only because it is a new parameter, but because its value will determine the tactics for addressing other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino oscillations be related to matter-antimatter asymmetry among leptons in the early universe? What is the value of the CP violating phase, which is so far unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Is there a normal hierarchy ($m_3 > m_2 > m_1$) or an inverted hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow for both orderings. What are the consequences for interpreting the results of the double beta decay experiments and for understanding the neutrino masses in a more fundamental way, restricting possible theoretical models?
- 4) **Is θ_{23} maximal (45 degrees)?** If so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark matter, dark energy, extra dimensions? Do sterile neutrinos exist?

Sensitivity Contours (15 kt*36E20 POT)



4) Is θ_{23} maximal?


Because of its excellent energy resolution NOvA can make $\sim 1\%$ measurements of muon neutrino disappearance using quasi-elastic channel

Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Are they “normal,” analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called “inverted” hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) **Are neutrinos their own antiparticles?** Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?

5) Are neutrinos their own antiparticles?




If NOvA establishes inverted hierarchy and next generation of $0\nu\beta\beta$ experiments see nothing, then it is very likely that neutrinos are Dirac particles

Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Are they “normal,” analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called “inverted” hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a **supernova within our galaxy**? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? Do sterile neutrinos exist?

6) ...supernova within our galaxy?



NOvA would see burst of 5000 events for a supernova at the center of the galaxy


Questions for the future

As the first chapter in the study of neutrino oscillations comes to an end, a new chapter begins. The great progress in neutrino physics over the last few decades raises new questions and provides opportunities for major discoveries. Among the compelling issues today:

- 1) What is the value of θ_{13} , the mixing angle between first- and third-generation neutrinos for which, so far, experiments have only established limits? Determining the size of θ_{13} has critical importance not only because it is a fundamental parameter, but because its value will determine the tactics to best address many other questions in neutrino physics.
- 2) Do neutrino oscillations violate CP? If so, how can neutrino CP violation drive a matter-antimatter asymmetry among leptons in the early universe (leptogenesis)? What is the value of the CP violating phase, which is so far completely unknown? Is CP violation among neutrinos related to CP violation in the quark sector?
- 3) What are the relative masses of the three known neutrinos? Are they "normal," analogous to the quark sector, ($m_3 > m_2 > m_1$) or do they have a so-called "inverted" hierarchy ($m_2 > m_1 > m_3$)? Oscillation studies currently allow either ordering. The ordering has important consequences for interpreting the results of neutrinoless double beta decay experiments and for understanding the origin and pattern of masses in a more fundamental way, restricting possible theoretical models.
- 4) Is θ_{23} maximal (45 degrees)? if so, why? Will the pattern of neutrino mixing provide insights regarding unification of the fundamental forces? Will it indicate new symmetries or new selection rules?
- 5) Are neutrinos their own antiparticles? Do they give rise to lepton number violation, or leptogenesis, in the early universe? Do they have observable laboratory consequences such as the sought-after neutrinoless double beta decay in nuclei?
- 6) What can we learn from observation of the intense flux of neutrinos from a supernova within our galaxy? Can we observe the neutrino remnants of all supernovae that have occurred since the beginning of time?
- 7) What can neutrinos reveal about other astrophysical phenomena? Will we find localized cosmic sources of very-high-energy neutrinos?
- 8) What can neutrinos tell us about new physics beyond the Standard Model, dark energy, extra dimensions? **Do sterile neutrinos exist?**

8) ...beyond the Standard Model...Do sterile neutrinos exist?

Reconstructed visible energy for NC sample



NOvA's granularity allows for clean neutral-current measurements facilitating searches for sterile neutrinos

Schedule

- NOvA passed its Department of Energy, Office of Science CD2/3a. Ready to start civil construction at far site in March 2008
- FY2008 omnibus budget passed by Congress in December of 2007 zeroed funding for NOvA in FY08. Formally closed the project office, but we able to make some progress with small amount of FY07 carryover and with university groups.
- FY08 funding required new cost and schedule to be drafted and reviewed. Those reviews passed in April and June of 2008. Expect CD2 process to be complete in August of this year.
- Emergency funding bill passed by Congress passed this month. Included \$62.5M additional funding for HEP. NOvA is funded at \$9.5M for this fiscal year. Project office officially reopened. \$9.5M is enough to complete roughly 3/4 of the remaining design and R&D tasks in our schedule.
- Including anticipated 4 month delay in FY09 Congressional budget process:
 - ▶ Start of construction April 2009
 - ▶ First 2.5 kt taking data August 2012
 - ▶ Detector complete January 2014
- NOvA construction schedule is driven by funding profile. We know what we want to build and we could build it faster.

NOvA is the foundation of the US accelerator neutrino program

- It addresses 7 of the 8 physics questions called out by P5 as the focus of the neutrino program over the next decade
- Among the next generation experiments, NOvA uniquely provides information on the mass hierarchy and CP phase
- NOvA provides the incentive and continuity to increase the NuMI beam power from 400 to 700 kW and ultimately to 2.3 MW
- Ensures a robust future program.

